

190 SERIES

With a collection of 36 colors, this series stands for different spirits and emotions. Meanwhile, it looks fresh and compelling with a textured finish. Take your pick, and your favorite wrap will do the talking before someone tries to figure out what kind of person you are.

BASIC SPECIFICATIONS


The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release channels

Adhesive: Solvent polyacrylate

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Avg. indoor life: 4 years when followed rules of application and usage
Avg. outdoor life: 3 years when followed rules of application and use
Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps





starturgar

DEEP BLUE

SKU: RB02

SKU: RB05

unem gons


ACID LIME

SKU: RB07











PASSIONATE PURPLE SKU: RB04


















SKU: RB11



CORAL PEACH SKU: RB08





AMBER BROWN SKU: RB10




















CRYSTAL SILVER SKU: RB14




COLUMBIA BLUE

same ar

CERULEAN BLUE

SKU: RB17






SEA TUQUOISE SKU: RB16


















similar.

YELLOW GOLD

SKU: RB25



KELLY GREEN SKU: RB22










unimeast

SKU: MT02G


GLOSS MOCHA LATTE



GLOSS COAL BLACK SKU: MT01G







GLOSS ELECTRIC BLUE SKU: MT03G







190 SERIES





ΠΕШ







2202mgaat

BLACK GOLD

SKU: HM09G





COLOR SHIFT METALLIC

Ø

Meg 5387

1

190 SERIES

RAINBOW DRIFT METALLIC

With a collection of five stunning colors, TeckWrap offers you this series of color shifting vinyl wrap (Rainbow Drift), which gives your vehicle a unique, stylish finish. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The better thing is, these vinyl wraps from TeckWrap are all in high quality but reasonable and affordable prices.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release channels


Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Adhesive: Solvent polyacrylate

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Avg. indoor life: 4 years when followed rules of application and usage
Avg. outdoor life: 3 years when followed rules of application and use
Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps
Aftercare: PH neutral, Avoid wax or solvents



COLOR SHIFT METALLIC




GLOSSY IBIZA SUNSET SKU: RD02G

190 SERIES




GLOSSY WINERED NEBULA SKU: RD01G



GLOSS PEACOCK GREEN SKU: RD04G

www.mgpas.



GLOSS IRIS PURPLE GEM SKU: RD03G







COLOR SHIFT METALLIC


190 SERIES

statungaar


SKU: RD08


SKU: RD11G

MATTE TEAL NEON LAPIS



MATTE PURPLE INDIGO MALACHITE SKU: RD07





MATTE CHARTREUSE PURPLE RUBY SKU: RD09





SUPER GLITTER

190 SERIES

TECHURAP

....

00

SUPER GLITTER

This series offers you a collection of three colors. Each of them gives you a stunning finish, where colorful sparkles are shinning all over the film. Pick your favorite color now, and turn your car into something elegant today!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendered vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place


Indoor life: 4 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use



SUPER GLITTER

190 SERIES





CHAMELEON METALLIC

190 SERIES

CHAMELEON METALLIC

Chameleon Metallic gives you a perfect finish with a lustrous and metallic appearance in a selection of three essential colors. But more than that, with varied colors in one, as you look from different angles. Pick your favorite now, and you will not regret it for sure.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm


Type of film: High grade polymeric calendered vinyl film with air release channels **Adhesive:** Henkel solvent based acrylic adhesive **Storing period:** 2 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sun light, clean and dry place **Indoor life:** 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use



CHAMELEON METALLIC







PURPLE BLUE SKU: CK892







190 SERIES

With a collection of 14 fancy colors, TeckWrap offers you this series of matte metallic vinyl wrap with the eggshell finish, which gives your vehicle a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of the film: 0.16mm


Type of film: High grade polymeric calendared vinyl film with air release channels **Adhesive:** Henkel solvent-based acrylic adhesive **Storing period:** 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use








SKU: ECH04



SATIN PERL WHITE SKU: ECH01






CHARCOAL GREY SKU: ECH03



















SKU: ECH15




SALMON RED SKU: ECH14















• WHITE CHAMELEONS

0

0

190 SERIES

WHITE CHAMELEONS

With a collection of ten gloss and matte colors, you will get a super distinctive finish with this series, where it is partly shady with extraordinary luster. It is THE head-turner among all the running cars on the road. Pick one and enjoy the view!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendared vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package,

away from direct sun light, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 2 years when followed rules of application and use

Post-heating: 100°C; cure time: 48 hours



WHITE CHAMELEONS











Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions. 

WHITE CHAMELEONS







GLOSS GLITTER & DIAMOND



GLOSS GLITTER & DIAMOND

Looks fascinating! The finish shines just like a diamond! Even better, it is not hard to apply. Get your favorite color, and turn your car into the most stunning diamond on the road!

BASIC SPECIFICATIONS

TThe thickness of film: 0.16mm


Type of film: Medium grade polymeric multilayered calendered film with air release channels **Adhesive:** Henkel solvent-based acrylic adhesive **Storing period:** 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use **Post heating:** 90°C



GLOSS GLITTER



anaufaar



GLOSS AURORA WHITE SKU: DCH02G











180 SERIES

With up to 19 different colors in this series, each of them creates an eye-catching and classic outfit for your car, shinning like nothing you have ever seen! Pick your favorite, get changed, and add charm to your car now!

BASIC SPECIFICATIONS

The thickness of the film: 0.11mm HD: 0.15mm

Type of film: Medium grade polymeric calendered film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 2 years when followed rules of application and use

Postheating: 100 Celcius HD: 95 Celcius







BLACK SKU: CG01





RAINSTORM GREY SKU: CG03-S





7///

REALWERST

WHITE

SKU: CG02

SKU: CG04

REGULARDAT

RACING RED

SKU: CG06





180 SERIES



CARDINAL RED SKU: CG13



Resultan

ROCK BLUE SKU: CG14

SKU: CG16

REGULARDAT

SKU: CG18



MIDNIGHT RAVEN SKU: CG15



Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.



7///



new

ΠΕШ





new



CHELSEA ROSE SKU: CG25-S

REFUISBART

Serembaar



SKU: CG26-S



SERUISBAT

LAVA ORANGE

SKU: CG24-S



ΠΕШ







new



SLATE GREY + TOP COATING SKU: CG16-SH

ROLLING SEA + TOP COATING

REFUEBBAT

SKU: CG21-SH

ΠΕΨ

SUNFLOWER YELLOW + TOP COATING
SKU: CG12-SH

Resturgear



BATTLESHIP GREY + TOP COATING SKU: CG20-SH









CG23-HD



IVORY CREAM (HD) SKU: CG26-HD

SKU: CG21-HD





SUPER MATTE

180 SERIES

SUPER MATTE

It is not too glossy but with modest lustrous. With its subtle solid look, you will have a perfect distinctive flat finish. With TeckWrap, you have a wide range of selection to choose from. Take your pick and enjoy the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Medium grade polymeric calendered film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use



SUPER MATTE

180 SERIES







HOLMBOAL

MILITARY GREEN

SKU: CM09

REPRINTEDAT

SUPER BLACK SKU: TC01



WHITE SKU: CM02

SKU: CM01







MIRROR CHROME



MIRROR CHROME

Reflective and lustrous, your car will be drawing people's eyes, because Mirror Chrome looks so much more aesthetic and attractive. More than just the mirroring effect, with TeckWrap, you have a whole collection of 17 colors to choose from. Make your choice, and start lighting up the road!

BASIC SPECIFICATIONS

The thickness of film: 0.19mm

Type of film: Hybrid vinyl film (silver coating) with air release channels **Adhesive:** Henkel solvent based low initial tack adhesive, white and grey **Storing period:** 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 4 years when followed rules of application and use **Outdoor life:** 1-2 years when followed rules of application and use. Durability depends on the surface and climate zone.



MIRROR CHROME









WHITE GOLD SKU: CHM01-S





ROSE GOLD








ORANGE

Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.



JET BLACK

SKU: CHM10E







-20

180 SERIES

Also known as a semi-gloss or luster film, the appearance of Satin Chrome is halfway between matte and gloss, a perfect choice for those who want something posh and elegant. And with a collection of 10 colors to choose from, your car is going to be the most eye-catching thing running on the road. So why not take your pick with us now?

BASIC SPECIFICATIONS

The thickness of film: 0.10mm

Type of film: Polymeric vinyl film (silver coating) with new air release channels

Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 2 years when followed rules of application and use

Post-heating: 90 Celcius. Cure time: 48 hours





Resultan

VELVET BLUE

SKU: VCH402-S





CRIMSON RED SKU: VCH401-S





CONCORD GRAPE SKU: VCH403-S










seemean.

ROSE GOLD

SKU: VCH414-S



TURQUOISE BLUE SKU: VCH413-S







180 SERIES

0

Humble but elegant, Gloss Aluminum provides you a collection of 28 colors. Nothing pretentious, but with nothing less, its glory cannot be hidden. With this series, you will be able to create a perfectly stylish outfit for your loving car. Try this out and enjoy the upmarket.

BASIC SPECIFICATIONS

TThe thickness of film: 0.12mm

Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Adhesive: solvent polyacrylate. TeckWrap high-tech adhesive is save for car paint and has low or moderate initial tack ensuring easy installation.

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, in a clean and dry place.

Indoor life: 4 years.

Outdoor life: 3 years when followed rules of application and usage. Mentioned periods are enough for a car wrapping film.

Post-heating: 100°C for flat surfaces and 120°C for curves and overlaps. We recommend a steam vacuum or IRR heater for installation.

Aftercare: PH neutral products. Avoid hot wax or solvents.







Sestugaar

DEEP PINK

SKU: GAL04-S







SKU: GAL26-S
















SERUNSaar

SERUT















Resultan

MAHOGANY RED


SKU: GAL27-S
























SKU: GAL23-S









DARK BROWN GREY SKU: GAL22-S







180 SERIES







NEO CHROME

180 SERIES

NEO CHROME

Mystic chrome represents its product name. It creates some mystic, like in a wonderland. With each of the five colors of neochrome, you will have different ideas about five fairylands. It is recommended for partial wrapping on your car. With another film which is relatively more solid on other surfaces, it makes a well balanced distinctive outfit.

BASIC SPECIFICATIONS

The thickness of film: 0.11mm

Type of film: PET film with new air release channels

Glue: Henkel solvent based moderate adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: Up to 3 years when followed rules of application and use

Outdoor life: Up to 1-2 years when followed rules of application and use



NEO CHROME





PAINT PROTECTION



170 SERIES

PAINT PROTECTION

Designed for protecting your loving car, we have a collection of four and three styles (including gloss PVC, matte PVC, PVC with top-coating, and TPU) for you to choose from. Take your pick and boost up the long term durability of the appearance of your car, and enjoy your rides with no more worries!

BASIC SPECIFICATIONS

Shelf-life: 1 year from production date (save LOT number)

Application: on a wet surface


Warranty: 5 years from production date. The product is warranted to be free of defects in the material. In case of product defects communicated in mentioned period, TeckWrap will consider and determine the existence of the defect and further decide at its sole discretion, to either replace defective product without charge or compensate it with money in such amount, as TeckWrap deems reasonable.

Topcoating features: solvent and stain resistance, resistance to heavy metals, resistance to scratches, self-healing



PAINT PROTECTION

170 SERIES



MEDIUM GRADE GLOSS PVC SKU: PPF270



MEDIUM GRADE MATTE PVC

SKU: PPF271M













SATIN METALLIC

190 SERIES

P P P S Corre

SATIN METALLIC

Silky and lustrous, the beauty of Satin Metallic is rather quiet and low-key. Self-restraint with graceful bearing, each of the five colors in this series will provide you a somewhat different taste. Try it on and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels

Glue: Henkel solvent-based adhesive


Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use **Post heating:** 100 Celcius



SATIN METALLIC








San and and

SKU: HM06



DARK GREY SILK SKU: HM01





SKU: HM03









MATTE METALLIC

0

190 SERIES

MATTE METALLIC

Thinking about getting something lustrous like metal but not so glossy? Then matte metallic is your choice! It gives you a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels


Glue: Henkel solvent-based adhesive

Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Indoor life: 5 years when followed rules of application and use
Outdoor life: 3 years when followed rules of application and use

Post heating: 100 Celcius




MATTE METALLIC







MATTE COAL BLACK SKU: MT01



MATTE MOCHA LATTE

SKU: MT02

SKU: MT04











STRUCTURE VINYL

180 SERIES

STRUCTURE VINYL

With a collection of different styles, TeckWrap offers you this series of camouflage vinyl wraps that give your vehicle a stylish finish with a genuine look. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The material is stretchable enough to wrap every edge and recessed area easily. Designed for interior and exterior applications.

BASIC SPECIFICATIONS

The thickness of film: 0.14mm

Type of film: High grade polymeric calendared vinyl film with air release channels **Adhesive:** Solvent-based adhesive, transparent, origin: Taiwan **Storing period:** 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 2 years when followed rules of application and use **Outdoor life:** 1 year when followed rules of application and use **Post-heating:** 80 Celsius. Cure time 48 hours



STRUCTURE VINYL

ΠΕШ



GHOST BLACK SKU: RCF05

unempass.

SKU: RCF03

CERAMIC CARBON



2404millant

BRUSHED BLACK

GHOST MILITARY GREEN SKU: RCF06







180 SERIES







GLOSS FORGED CARBON MT05-R2-LW

